

# Product data sheet

Specifications

## Set of 2 heavy duty vertical rails for fixing of chassis and cross rails-1800 mm



NSYTVR18

### Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	Technical upright
device application	Multi-purpose
enclosure nominal dimensions	- H: 1800 mm
Mounting support	Mounting plate fixing bracket Upright fixing bracket
Range compatibility	PanelSeT SF PanelSeT SM PanelSeT SFX PanelSeT SMX
Device composition	2 upright
Quantity per set	Set of 1
Material	Steel

### Complementary

Surface finish	Zinc coated
Adjustment	Adjustable in depth every 25 mm with caged nuts Adjustable in height every 2.5 mm with quarter-turn nuts
Height	1800 mm Real: 1675 mm
Width	45 mm
Depth	34 mm
thickness	2 mm
Cut-out dimensions	13 x 11 mm

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	6.000 cm
Package 1 Length	168.000 cm
Package 1 Weight	4.982 kg
Unit Type of Package 2	P2M

---

<b>Number of Units in Package 2</b>	80
<b>Package 2 Height</b>	42.000 cm
<b>Package 2 Width</b>	120.000 cm
<b>Package 2 Length</b>	200.000 cm
<b>Package 2 Weight</b>	442.000 kg

---

## **Contractual warranty**

---

<b>Warranty</b>	18 months
-----------------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint 35

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

## Use Again

### Repack and remanufacture

End of life manual availability No need of specific recycling operations

Take-back No