Product data sheet

Specifications



Combined module ethernet HSR/ PRP RJ45 and RS485 RJ45 for slots MN - accessory for PowerLogic P5

REL51048

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	PowerLogic P5
Accessory / separate part category	Modules and interfaces
Product or Component Type	Communication module

Complementary

Communication port support	RS485
relay connection	RJ45

Environment

Ambient Air Temperature for Operation	-40…158 °F (-40…70 °C)
Height	1.5 in (38 mm)
Width	3.0 in (76 mm)
Depth	8.3 in (210 mm)
Product Weight	0.26 lb(US) (0.12 kg)

Ordering and shipping details

Category	US1PL1S11406
Discount Schedule	PL1S
GTIN	3606485869650
Returnability	No
Country of origin	EE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.496 in (3.800 cm)
Package 1 Width	2.953 in (7.500 cm)
Package 1 Length	8.268 in (21.000 cm)
Package weight(Lbs)	5.432 oz (154.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	16

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	6.045 lb(US) (2.742 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**Yes**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**