

# Product data sheet

Specifications

**SQUARE D**



## Circuit breaker accessory, PowerPacT H/J/L, shunt trip, 208VAC to 277VAC

S29387

**Product availability: Stock - Normally stocked in distribution facility**

### Main

Range of Product	PowerPacT H PowerPacT J PowerPacT L
Product or Component Type	Shunt trip

### Complementary

Rated voltage	208...277 V AC
Tightening torque	12.4 lbf.in (1.4 N.m) 0.001...0.004 in <sup>2</sup> (0.82...2.5 mm <sup>2</sup> ) (AWG 18...AWG 14)

### Environment

Product Certifications	CSA
------------------------	-----

### Ordering and shipping details

Category	US10DE201103
Discount Schedule	0DE2
GTIN	785901545675
Returnability	Yes
Country of origin	US

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.70 in (4.318 cm)
Package 1 Width	2.90 in (7.366 cm)
Package 1 Length	4.40 in (11.176 cm)
Package weight(Lbs)	4.672 oz (132.449 g)

### Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

### Use Again

 <b>Repack and remanufacture</b>	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.