

Product data sheet

Specifications



Occupancy sensor, X Series, PIR, single pole, 1 way, white, matte finish

SQR73101WH

Product availability: Stock - Normally stocked in distribution facility

Main

Range	Square D X Series
Product or Component Type	Sensor
Device Application	Control
Device presentation	Mechanism with fixing frame
Aesthetic name	X Series
Number of gangs	1 gang
Number of poles	1

Complementary

Switch Function	1-way
Sensor Type	PIR Light level sensor
[Ie] rated operational current AC	10 A
[Ue] rated operational voltage	120 V 277 V
Network type	AC
Network Frequency	60 Hz
Mounting Mode	By screws
Device mounting	Flush
Material	Plastic: strap Metal: fixing frame
Color	White
Surface Finish	Matte
Width	1.7 in (43 mm)
Height	4.06 in (103 mm)
Depth	2.09 in (53 mm)
Quantity per Set	1 piece

Environment

Product Certifications	cULus ICES-003
Standards	UL 1917

Ordering and shipping details

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Category	US10DE909933
Discount Schedule	0DE9
GTIN	785901549239
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.500 in (6.350 cm)
Package 1 Width	2.700 in (6.858 cm)
Package 1 Length	4.300 in (10.922 cm)
Package weight(Lbs)	5.440 oz (154.221 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.500 in (3.810 cm)
Package 2 Width	5.400 in (13.716 cm)
Package 2 Length	12.600 in (32.004 cm)
Package 2 Weight	3.300 lb(US) (1.497 kg)
Unit Type of Package 3	CAR
Number of Units in Package 3	40
Package 3 Height	11.100 in (28.194 cm)
Package 3 Width	7.200 in (18.288 cm)
Package 3 Length	17.800 in (45.212 cm)
Package 3 Weight	14.200 lb(US) (6.441 kg)

Contractual warranty

Warranty (in months)	24
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Wiring diagram




Image of product / Alternate images

Alternative







Image of product in real life situation

