

# SSRHD10

heat sink, Harmony Solid State Relays, DIN rail mount, thermal resistance 1 degree C W



## Main

Range of Product	Harmony Solid State Relays
Product or Component Type	Heat sink

## Complementary

Product compatibility	1 solid state relay SSR panel
Thermal resistance	1 °C/W
Mounting Support	DIN rail
Material	Aluminium
Surface Finish	Black anodized
Surface and useful surface	220.9 in <sup>2</sup> (1425 cm <sup>2</sup> )
Number of mounting holes	6 UNC 8-32
Tightening torque	15.05...19.5 lbf.in (1.7...2.2 N.m)
Sale per indivisible quantity	1
Width	3.000000000 in (76.2 mm)
Height	5.2 in (132.1 mm)
Depth	2.4 in (60.2 mm)
Net Weight	1.389 lb(US) (0.630 kg)

## Ordering and shipping details

Category	US10CP222375
Discount Schedule	OCP2
GTIN	3606480580246
Returnability	Yes
Country of origin	US

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.03 in (7.7 cm)
Package 1 Width	10.6 in (27.0 cm)
Package 1 Length	11.3 in (28.7 cm)
Package 1 Weight	6.50 lb(US) (2.95 kg)
Unit Type of Package 2	S03
Number of Units in Package 2	22
Package 2 Height	11.8 in (30.0 cm)
Package 2 Width	11.8 in (30.0 cm)

Package 2 Length	15.7 in (40.0 cm)
Package 2 Weight	143.08 lb(US) (64.9 kg)

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Circularity Profile	No need of specific recycling operations

## Dimensions

