

# Product data sheet

Specifications

## Profibus DP connecting cable - for profibus DP connector - 100 m



TSXPBSCA100

**Product availability: Non-Stock - Not normally stocked in distribution facility**

### Main

|                                       |                              |
|---------------------------------------|------------------------------|
| Accessory / separate part category    | Connection accessories       |
| Accessory / Separate Part Type        | Connecting cable             |
| Accessory / separate part designation | Profibus DP connecting cable |
| Accessory / separate part destination | Profibus DP connector        |
| Cable length                          | 328.08 ft (100 m)            |

### Complementary

|                     |   |
|---------------------|---|
| Range Compatibility | Advantys STB Distributed I/O<br>Modicon Quantum automation platform<br>Lexium 15<br>Modicon Premium automation platform<br>Lexium 05<br>OsiSense XG<br>Modicon Momentum automation platform |
|---------------------|---|

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US1PC2222558  |
| Discount Schedule | PC22          |
| GTIN              | 3595860024206 |
| Returnability     | No            |
| Country of origin | FR            |

### Packing Units

|                              |                          |
|------------------------------|--------------------------|
| Unit Type of Package 1       | PCE                      |
| Nbr. of units in pkg.        | 1                        |
| Package 1 Height             | 5.31 in (13.500 cm)      |
| Package 1 Width              | 12.99 in (33.000 cm)     |
| Package 1 Length             | 12.99 in (33.000 cm)     |
| Package weight(Lbs)          | 11.539 lb(US) (5.234 kg) |
| Unit Type of Package 2       | P12                      |
| Number of Units in Package 2 | 30                       |
| Package 2 Height             | 29.53 in (75.000 cm)     |
| Package 2 Width              | 31.50 in (80.000 cm)     |
| Package 2 Length             | 47.24 in (120.000 cm)    |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

|                  |                             |
|------------------|-----------------------------|
| Package 2 Weight | 374.786 lb(US) (170.000 kg) |
|------------------|-----------------------------|

## Contractual warranty

---

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

California proposition 65

**WARNING:** This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Use Again

### Repack and remanufacture

Take-back

No