

Product data sheet

Specifications



shaft extension PAS43/CAS43 - 1 piece

VW33MF1S32A25

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of product	Lexium linear motion
Product or component type	Shaft journal
Product specific application	To connect an encoder and third-party application specific drive
Accessory / separate part category	Maintenance accessories

Complementary

Product compatibility	PAS 43 linear axis 80 x 80 mm CAS 43 linear axis 80 x 80 mm
Range compatibility	Lexium PAS Lexium CAS
Product weight	0.326 lb(US) (0.148 kg)
Maximum radial force Fr	700 N
Inertia	0.16 kgcm ²
Torque value	725.8 lbf.in (82 N.m)

Ordering and shipping details

Category	US1PC5718233
Discount Schedule	PC57
GTIN	3606485220055
Returnability	No
Country of origin	DE

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.36 in (6.0 cm)
Package 1 Width	4.72 in (12.0 cm)
Package 1 Length	6.30 in (16.0 cm)
Package weight(Lbs)	8.7 oz (248.0 g)

Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better


 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Again

 Repack and remanufacture	
Take-back	No

Dimensions Drawings

Dimensions



Dimensions in mm

A	B	ØD1	ØD2	ISO 4762 screw (1)
32	7.5	25	45	M8

Dimensions in in.

A	B	ØD1	ØD2	ISO 4762 screw (1)
1.26	0.29	0.98	1.77	M8