

# Product data sheet

Specifications



## communication module Profinet, Altivar, 100Mbits, 2 x RJ45 connectors

VW3A3627

**Product availability: Stock - Normally stocked in distribution facility**

### Main

Range of Product	Altivar
Product or Component Type	Communication module

### Complementary

Range compatibility	Altivar Process ATV600 Altivar Machine ATV340 except Sercos drives Altivar Machine ATV320 Altivar 32 Altivar Process Modular Altivar Process ATV900
Communication Port Protocol	Link Layer Discovery Protocol PROFINET
Electrical connection	2 connectors RJ45, Ethernet
Transmission Rate	100 Mbits
Display type	1 LED MS (Module Status) 1 LED NS (Network Status) 1 LED TX/RX (Transmit/Receive port 1) 1 LED TX/RX (Transmit/Receive port 2)
Bus profile	PROFIdrive
Net Weight	0.7 lb(US) (0.3 kg)

### Environment

Standards	IEC 61800-7-201 (CiA 402)
-----------	---------------------------

### Ordering and shipping details

Category	US1CP4B22154
Discount Schedule	CP4B
GTIN	3606480496967
Returnability	Yes
Country of origin	CN

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.81 in (4.600 cm)
Package 1 Width	2.56 in (6.500 cm)
Package 1 Length	3.50 in (8.900 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Package weight(Lbs)</b>	2.222 oz (63.000 g)
<b>Unit Type of Package 2</b>	S03
<b>Number of Units in Package 2</b>	100
<b>Package 2 Height</b>	11.81 in (30.000 cm)
<b>Package 2 Width</b>	11.81 in (30.000 cm)
<b>Package 2 Length</b>	15.75 in (40.000 cm)
<b>Package 2 Weight</b>	15.201 lb(US) (6.895 kg)
<b>Unit Type of Package 3</b>	P06
<b>Number of Units in Package 3</b>	800
<b>Package 3 Height</b>	29.53 in (75.000 cm)
<b>Package 3 Width</b>	23.62 in (60.000 cm)
<b>Package 3 Length</b>	31.50 in (80.000 cm)
<b>Package 3 Weight</b>	139.244 lb(US) (63.160 kg)

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 2

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING:** This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

PVC free Yes

## Use Again

### Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No