

# Product data sheet

Specifications



## Modbus multidrop connection kit, Altivar, for PC serial port

VW3A8106

**Product availability: Non-Stock - Not normally stocked in distribution facility**

### Main

Range of Product	Power Suite
Accessory / separate part category	Connection accessories
Accessory / Separate Part Type	Connection kit
Accessory / separate part designation	Modbus multidrop connection kit for PC serial port
Accessory / separate part destination	PC serial port

### Complementary

Range compatibility	Altivar 11 Altivar 71Q Altivar 212 CANopen Twido Altivar 61Q Altivar 71 Altivar 21 TeSys T Altivar 61 Altivar Machine ATV340 except Sercos drives
Kit composition	1 RJ45/9-way SUB-D adaptor for connecting ATV68 drive 1 RJ45/SUB-D 9 adaptor for connecting ATV 38/58/58F drives 1 cable 3 m with 2 RJ45 connectors 1 RJ45/SUB-D 9 adaptor for connecting ATV11 drive 1 RS232/RS485 converter with 1 female SUB-D 9 connector and 1 RJ45 connector 1 converter with one 4-way male and 1 RJ45 connector for connecting ATV11 drive

### Ordering and shipping details

Category	US1CP4C22058
Discount Schedule	CP4C
GTIN	3389110804102
Returnability	Yes
Country of origin	FR

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.913 in (7.400 cm)
Package 1 Width	6.535 in (16.600 cm)
Package 1 Length	9.055 in (23.000 cm)
Package weight(Lbs)	14.145 oz (401.000 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Unit Type of Package 2</b>	S03
<b>Number of Units in Package 2</b>	7
<b>Package 2 Height</b>	11.811 in (30.000 cm)
<b>Package 2 Width</b>	11.811 in (30.000 cm)
<b>Package 2 Length</b>	15.748 in (40.000 cm)
<b>Package 2 Weight</b>	7.385 lb(US) (3.350 kg)
<b>Unit Type of Package 3</b>	P06
<b>Number of Units in Package 3</b>	56
<b>Package 3 Height</b>	29.528 in (75.000 cm)
<b>Package 3 Width</b>	23.622 in (60.000 cm)
<b>Package 3 Length</b>	31.496 in (80.000 cm)
<b>Package 3 Weight</b>	82.444 lb(US) (37.396 kg)

## Contractual warranty

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

<b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	7e627969-fe7b-4bc8-bb09-0ec3957cfaa0
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

### Use Longer

<b>Lifetime extension</b>	
Repair	No

### Use Again

<b>Repack and remanufacture</b>	
Take-back	No