

Product data sheet

Specifications



kit for flush-mounting in a dust and damp proof enclosure - ATV61/ATV71

VW3A9514

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Altivar
Accessory / separate part category	Mounting and fixing accessory
Accessory / Separate Part Type	Mounting kit
Product compatibility	ATV61HC25N4D without braking unit ATV61HC25Y without braking unit ATV61HC31N4 without braking unit ATV61HC31N4D without braking unit ATV61HC31Y without braking unit ATV61HC40Y without braking unit ATV71HC20N4 without braking unit ATV71HC20N4D without braking unit ATV71HC20Y without braking unit ATV71HC25N4 without braking unit ATV71HC25N4D without braking unit ATV71HC25Y without braking unit ATV71HC28N4 without braking unit ATV71HC28N4D without braking unit ATV71HC31Y without braking unit ATV61HC25N4 Variable speed drive ATV600 250 kW, 380...480 V Variable speed drive ATV600 315 kW, 380...480 V Variable speed drive ATV900 250 kW, 380...480 V Variable speed drive ATV900 315 kW, 380...480 V
Accessory / separate part destination	Variable speed drive without braking unit
Range Compatibility	Altivar 61 Altivar Process ATV600 Altivar 71 Altivar Process ATV900
Product Specific Application	For mounting the drive power section outside the enclosure

Complementary

Kit composition	1 cutting and drilling template 1 fan support 1 user manual 1 metal frame of the right size for drive rating corner pieces fixing accessories seals
Net Weight	10.4 lb(US) (4.7 kg)

Environment

Environmental characteristic	Dust and damp proof
------------------------------	---------------------

Ordering and shipping details

Category	US1CP4C22135
----------	--------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Discount Schedule	CP4C
GTIN	3389119202039
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.94 in (10.000 cm)
Package 1 Width	36.61 in (93.000 cm)
Package 1 Length	23.62 in (60.000 cm)
Package weight(Lbs)	17.637 lb(US) (8.000 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	12
Package 2 Height	29.53 in (75.000 cm)
Package 2 Width	31.50 in (80.000 cm)
Package 2 Length	47.24 in (120.000 cm)
Package 2 Weight	244.713 lb(US) (111.000 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	B00cd7e2-2672-4834-8c42-285c1ccc09ef
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Take-back	No