

Product data sheet

Specifications

UPS Battery Pack, PacDrive 3, 2000mAh, 12V, Ni-MH



VW3E6006

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	PacDrive 3
Product or Component Type	Battery
Accessory / separate part category	Spare part
Range Compatibility	PacDrive LMC Pro2
Battery capacity	2000 mA.h 12 V, Ni-MH (Nickel Metal Hydride)
Maximum load current	7 A

Complementary

Device Application	Machine
Ambient Air Temperature for Operation	41...113 °F (5...45 °C)
Ambient Air Temperature for Storage	-4...131 °F (-20...55 °C)
Ambient air transport temperature	-4...131 °F (-20...55 °C)
Permitted relative humidity (during operation)	Class 3K3 according to EN 60721-3
Permitted relative humidity (during storage)	Class 1K3 according to EN 60721-3
Permitted relative humidity (during transport)	Class 2K3 according to EN 60721-3
Maximum acceleration under vibrational stress (during operation)	5 m/s ²
Maximum acceleration under vibratory load (during storage)	15 m/s ²
Maximum acceleration under vibratory load (during transport)	15 m/s ²
Maximum acceleration under shock impact (during operation)	70 m/s ²
Maximum acceleration under shock load (during storage)	100 m/s ²
Maximum acceleration under shock load (during transport)	100 m/s ²

Ordering and shipping details

Category	US1PC5218350
Discount Schedule	PC52
GTIN	3606485306438
Returnability	Yes
Country of origin	FR

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.449 in (11.300 cm)
Package 1 Width	10.472 in (26.600 cm)
Package 1 Length	11.378 in (28.900 cm)
Package weight(Lbs)	30.758 oz (872.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	6
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	15.748 in (40.000 cm)
Package 2 Length	23.622 in (60.000 cm)
Package 2 Weight	13.532 lb(US) (6.138 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No

Use Again

 Repack and remanufacture	
Take-back	No