

Product data sheet

Characteristics

VW3M5D1AR50

power cable 5m shielded 4x 0,82mm², BCH2 leads connection



Main

Range of Product	Lexium 28
Product or Component Type	Power cable
Accessory / separate part type	Preassembled power cordset
Accessory / separate part categor	Connection accessory
Product compatibility	Servo motor BCH2 50 W 1.6 in (40 mm)) without brake) Servo motor BCH2 100 W 1.6 in (40 mm)) without brake) Servo motor BCH2 200 W 2.4 in (60 mm)) without brake) Servo motor BCH2 400 W 2.4 in (60 mm)) without brake) Servo motor BCH2 400 W 3.1 in (80 mm)) without brake) Servo motor BCH2 750 W 3.1 in (80 mm)) without brake)
Accessory / separate part destination	Between servo motor and servo drive
Range Compatibility	Lexium 28
Cable length	16.4 ft (5 m)

Complementary

Electrical connection	Free end servo drive side Connector - Molex 4-pin servo motor side
AWG gauge	4 x AWG 18
Net Weight	0.99 lb(US) (0.45 kg)

Ordering and shipping details

Category	US1PC5118264
Discount Schedule	PC51
GTIN	3606480735660
Returnability	Yes
Country of origin	TN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.8 in (4.6 cm)
Package 1 Width	11.2 in (28.4 cm)
Package 1 Length	13.5 in (34.2 cm)
Package 1 Weight	23.4 oz (664 g)
Unit Type of Package 2	S02
Number of Units in Package 2	5
Package 2 Height	5.9 in (15 cm)
Package 2 Width	11.8 in (30 cm)
Package 2 Length	15.7 in (40 cm)
Package 2 Weight	8.056 lb(US) (3.654 kg)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
PVC free	Yes