

# Product data sheet

Specifications



cable for pulse/direction signal,  
Lexium SD3, 5V, shielded, 0.5m

VW3S8201R05

**Product availability: Non-Stock - Not normally stocked in distribution facility**

## Main

Accessory / separate part designation	Cable for pulse/direction signal
Accessory / Separate Part Type	Connecting cable
Accessory / separate part category	Connection accessories
Accessory / separate part destination	Between stepper drive SD326 and external impulsion generator
Range Compatibility	Lexium SD3
Type of Cable	Shielded cable
Cable length	1.6 ft (0.5 m)

## Complementary

Product Compatibility	SD326
[Uc] control circuit voltage	5 V
Electrical connection	1 connector 24-pole Molex SD326) Cable end open external impulsion generator)

## Ordering and shipping details

Category	US1PC5518286
Discount Schedule	PC55
GTIN	3389119224567
Returnability	No
Country of origin	CZ

## Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.79 in (2.000 cm)
Package 1 Width	7.87 in (20.000 cm)
Package 1 Length	11.02 in (28.000 cm)
Package weight(Lbs)	2.116 oz (60.000 g)
Unit Type of Package 2	S04
Number of Units in Package 2	60
Package 2 Height	11.81 in (30.000 cm)
Package 2 Width	15.75 in (40.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Package 2 Length</b>	23.62 in (60.000 cm)
<b>Package 2 Weight</b>	9.370 lb(US) (4.250 kg)
<b>Unit Type of Package 3</b>	P06
<b>Number of Units in Package 3</b>	240
<b>Package 3 Height</b>	29.53 in (75.000 cm)
<b>Package 3 Width</b>	23.62 in (60.000 cm)
<b>Package 3 Length</b>	31.50 in (80.000 cm)
<b>Package 3 Weight</b>	55.116 lb(US) (25.000 kg)

## **Contractual warranty**

<b>Warranty</b>	18 months
-----------------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
PVC free	Yes

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No