

Product data sheet

Specifications



Head for push button, Harmony XAC, plastic, black, booted, operating travel 16mm, 25...+ 70 degree C

XACB9212

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Harmony XAC
Product or Component Type	Head for push-button
Component name	XACB
Marking	Unmarked
Operator additional information	Booted
Operating travel	0.6 in (16 mm)
Cap/operator or lens colour	Black
Product Compatibility	XESD1281 XESD1191 XESD1181 XESD1291
Sale per indivisible quantity	10

Complementary

Net Weight	0.011 lb(US) (0.005 kg)
------------	-------------------------

Environment

Standards	IEC 60947-5-1 CSA C22.2 No 14 IEC 60947-5-1
Ambient Air Temperature for Operation	-13...158 °F (-25...70 °C)
Ambient Air Temperature for Storage	-40...158 °F (-40...70 °C)
Vibration resistance	15 gn (f= 10...500 Hz) conforming to IEC 60068-2-6
Shock resistance	100 gn IEC 60068-2-27
Electrical shock protection class	Class II conforming to IEC 61140
IP degree of protection	IP65 conforming to IEC 60529
IK degree of protection	IK08 conforming to IEC 62262

Ordering and shipping details

Category	US10CS222473
Discount Schedule	0CS2
GTIN	3389110640946
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin	CZ
-------------------	----

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Nbr. of units in pkg.	1
-----------------------	---

Package 1 Height	1.181 in (3.000 cm)
------------------	---------------------

Package 1 Width	7.087 in (18.000 cm)
-----------------	----------------------

Package 1 Length	0.917 in (2.330 cm)
------------------	---------------------

Package weight(Lbs)	0.212 oz (6.000 g)
---------------------	--------------------

Unit Type of Package 2	BB1
------------------------	-----

Number of Units in Package 2	10
------------------------------	----

Package 2 Height	1.181 in (3.000 cm)
------------------	---------------------

Package 2 Width	7.087 in (18.000 cm)
-----------------	----------------------

Package 2 Length	5.512 in (14.000 cm)
------------------	----------------------

Package 2 Weight	2.434 oz (69.000 g)
------------------	---------------------

Unit Type of Package 3	S02
------------------------	-----

Number of Units in Package 3	200
------------------------------	-----

Package 3 Height	5.906 in (15.000 cm)
------------------	----------------------

Package 3 Width	11.811 in (30.000 cm)
-----------------	-----------------------

Package 3 Length	15.748 in (40.000 cm)
------------------	-----------------------

Package 3 Weight	3.761 lb(US) (1.706 kg)
------------------	-------------------------

Contractual warranty

Warranty	18 months
----------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	1
------------------------------------------------	---

Environmental Disclosure	Product Environmental Profile
--------------------------	-----------------------------------------------

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
----------------------------------------	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
-----------------------------------	------------------------------------------------------------

California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
---------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
---------------------	------------------------------------------

Take-back	No
-----------	----

Image of product / Alternate images

Alternative





