# **Product End of Life Instructions**

### **Harmony XAL Control Stations**





ENVEOLI2506022\_V1 06-2025

# 狐

### Potential disassembly risks

The information provided in this document assumes that the product is completely deenergized and uninstalled (refer to the instructions provided in the appropriate product manuals).

Dismantling/disassembling the product may entail hazards caused by, for example, sharp edges, chemical aggression or ejected parts.


#### A WARNING

#### HAZARD DUE TO INSUFFICIENT PROTECTION

- Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and dispose of the product.
- Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.

### **∀** End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Contact Cover & Housing, Intermediate Plunger	7.84	Plastis With Brominated FR
To be dismantled	2	Button Cover, Cap, 1 Hole Box	94.63	Plastic Parts
To be dismantled	3	Screw, Spring, Flat Bracket	23.63	Metal Parts
Other		Liquid and pasty substances	0.002	Solvent & Oil

ENVEOLI2506022\_V1 06-2025

### **Product description**

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Harmony XAL control stations use 1 to 3 plastic bezel pushbuttons, switches and pilot lights of Harmony XB5 range which offers a wide choice of circular and square types of heads to cater for the most commonly encountered functions of start, stop or combined functions.
Product reference	XALD112
Total representative product mass	126 g
Representative product dimensions	L68mm X H68mm X D62mm
Accessories	Accessories not required
Date of information release	06-2025

## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	Special transportation not required		
Recyclability potential	The recyclability rate was calculated from the recycling rates of each material making the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0 recyclability).		

Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI2506022\_V1 © 2023 - Schneider Electric – All rights reserved

06-2025

ENVEOLI2506022\_V1 06-2025