

Product data sheet

Specifications



Harmony XBT - direct connection cable - for XBTGK, XBTGT, XBTGR - 2.5 m

XBTZG9721

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Harmony XBT
Accessory / separate part category	Connection accessories
Accessory / Separate Part Type	Connecting cable
Accessory / separate part designation	Direct connection cable
Accessory / separate part destination	Direct connection of XBT terminal to Siemens Simatic PLC Small touch screen panel

Complementary

Product Compatibility	XBTGT6... XBTGT5... XBTRT500 XBTRT511 XBTGK.... XBTGT4... XBTGT1... XBTGT7340 XBTGT2...
Range Compatibility	Harmony HMI GTO Siemens S7-400 Siemens S7-200 Siemens S7-300 Harmony STO & STU
Cable length	8.2 ft (2.5 m)
Electrical connection	1 male connector RJ45 1 male connector SUB-D 9
Communication Port Protocol	PPI MPI
Physical interface	RS485

Ordering and shipping details

Category	US10MC222569
Discount Schedule	0MC2
GTIN	3595863885538
Returnability	No
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Height	0.59 in (1.5 cm)
Package 1 Width	5.51 in (14 cm)
Package 1 Length	5.91 in (15 cm)
Package weight(Lbs)	4.09 oz (116 g)
Unit Type of Package 2	S03
Number of Units in Package 2	60
Package 2 Height	11.81 in (30 cm)
Package 2 Width	11.81 in (30 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	15.34 lb(US) (6.96 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
F-gas usage performance	Only air and vacuum used for insulation / breaking, no F-gas including SF6
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	69107a2b-eec5-4280-8fc1-e988a903c9a2
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.