



SENTRON, cylindrical fuse link, Class CC, 8 A, time-lag, current-limiting, Un AC: 600 V, respect national installation rules! for protection of motor-circuits

Figure similar

| Model | |
|--|--------------------------|
| product brand name | SENTRON |
| product designation | Cylindrical fuse link |
| General technical data | |
| operating class of the fuse link | Slow, current limiting |
| size of the fuse link | Class CC |
| type of voltage of the operating voltage | AC |
| operating voltage at AC rated value | 600 V |
| Main circuit | |
| operational current rated value | 8 A |
| Product details | |
| product component striker | No |
| Mechanical Design | |
| mounting position | Any, preferably vertical |
| net weight | 8 g |
| Approvals Certificates | |
| General Product Approval | other |



[Confirmation](#)



[Confirmation](#)

other

Environment

[Miscellaneous](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)


<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW3080-0HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW3080-0HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW3080-0HG



last modified:

3/11/2024 

