



Figure similar

SETRON, cylindrical fuse link, Class CC, 25 A, time-lag, current-limiting, Un AC: 600 V, respect national installation rules! for protection of motor-circuits

| Model                                    |                          |
|------------------------------------------|--------------------------|
| product brand name                       | SETRON                   |
| product designation                      | Cylindrical fuse link    |
| General technical data                   |                          |
| operating class of the fuse link         | Slow, current limiting   |
| size of the fuse link                    | Class CC                 |
| type of voltage of the operating voltage | AC                       |
| operating voltage at AC rated value      | 600 V                    |
| Main circuit                             |                          |
| operational current rated value          | 25 A                     |
| Product details                          |                          |
| product component striker                | No                       |
| Mechanical Design                        |                          |
| mounting position                        | Any, preferably vertical |
| net weight                               | 8 g                      |
| Approvals Certificates                   |                          |
| General Product Approval                 | other                    |



EG-Konf.

[Confirmation](#)




UL



[Confirmation](#)

|                               |                                                   |
|-------------------------------|---------------------------------------------------|
| other                         | Environment                                       |
| <a href="#">Miscellaneous</a> | <a href="#">Environmental Con-<br/>firmations</a> |

| Further information                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Information on the packaging<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                                                                      |
| Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                                             |
| Industry Mall (Online ordering system)<br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW3250-0HG">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW3250-0HG</a>                                          |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)<br><a href="https://support.industry.siemens.com/cs/ww/en/ps/3NW3250-0HG">https://support.industry.siemens.com/cs/ww/en/ps/3NW3250-0HG</a>                                                |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)<br><a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW3250-0HG">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW3250-0HG</a> |



last modified: 3/11/2024 

