

nut keeper kit; 4 units accessory for: 3VA51




Model	
product brand name	SETRON
product designation	nut keeper kit 4 units
accessories	Nut keeper kit
Connections according IEC	
thickness / of the busbar / minimum	0 mm
width / of the busbar / maximum	17 mm
Connections according UL	
width / of the busbar / maximum	0.7 in
thickness / of the busbar / minimum	0 in
thickness / of the busbar / maximum	0.25 in
Certificates	
General Product Approval	EMV





[Miscellaneous](#)



Maritime application	other	Environment			
 LRS	<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>	<a href="#">Environmental Con- firmations</a>	<a href="#">Environmental Con- firmations</a>	

### Further information

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
 Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>  
 Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9134-0QA00>  
 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9134-0QA00>  
 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9134-0QA00](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9134-0QA00)  
 CAx-Online-Generator  
<http://www.siemens.com/cax>  
 Tender specifications  
<http://www.siemens.com/specifications>



---

last modified:

4/4/2025 