








circular conduc. terminal TA2.3 2 x 4 AWG...300 kcmil for 2 cables; 3 units  
accessory for: 3VA52

Model		
product brand name	SETRON	
product designation	circular conductor terminal	
accessories	Wire connector	
General technical data		
designation / of the terminal	TA2.3	
type of electrical connection / with control wire tap	No	
Connections according IEC		
connectable conductor cross-section		
• for copper cable / stranded / minimum	25 mm <sup>2</sup>	
• for copper cable / stranded / maximum	150 mm <sup>2</sup>	
• for aluminum cable / stranded / minimum	25 mm <sup>2</sup>	
• for aluminum cable / stranded / maximum	150 mm <sup>2</sup>	
stripped length	26 / 51 mm	
tightening torque / when using copper cables		
• stranded	25 - 150 mm <sup>2</sup> : 31.1 Nm	
• finely stranded	25 - 150 mm <sup>2</sup> : 31.1 Nm	
Connections according UL		
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C	
stripped length	1.0 / 2.0 in	
connectable conductor cross-section		
• for copper cable / stranded / minimum	4 AWG	
• for copper cable / stranded / maximum	300 kcmil	
• for aluminum cable / stranded / minimum	4 AWG	
• for aluminum cable / stranded / maximum	300 kcmil	
tightening torque / when using copper cables		
• stranded	4 AWG - 300 kcmil: 275 lb-in	
Certificates		
General Product Approval	EMV	
    	<a href="#">Miscellaneous</a>	
Marine / Shipping	other	Environment

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9233-0JJ22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9233-0JJ22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9233-0JJ22](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9233-0JJ22)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

8/9/2024

