



Wire connector TA2.8 1x 250..750kcmil; 2x 250kcmil for 1 cable 250 - 750 kcmil or 2 cables 250 kcmil; with control wire voltage tap-off 3 units accessories for: 3VA53, 3VA63 3VA54 400A, 3VA64 400A

Model			
product brand name	SETRON		
accessories	Wire connector		
General technical data			
designation / of the terminal	TA2.8		
type of electrical connection / with control wire tap	Yes		
Connections according UL			
permissible temperature / of connectable conductor / according to UL 486A-486B	90 °C		
stripped length	1.5 in		
connectable conductor cross-section			
• for copper cable / stranded / minimum	250 kcmil		
• for copper cable / stranded / maximum	750 kcmil		
• for copper cable / finely stranded / minimum	250 kcmil		
• for copper cable / finely stranded / maximum	750 kcmil		
• for aluminum cable / stranded / minimum	250 kcmil		
• for aluminum cable / stranded / maximum	750 kcmil		
tightening torque / when using copper cables			
• stranded	Cu 410 lb-in/Al 375 lb-in		
• finely stranded	Cu 410 lb-in/Al 375 lb-in		
Certificates			
General Product Approval	Declaration of Conformity	Marine / Shipping	other

[Miscellaneous](#)



[Confirmation](#)

other

Environment

[Miscellaneous](#)

[Environmental Conformations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9373-0JC24>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9373-0JC24>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9373-0JC24

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

1/13/2023 

