

bus connector extended front mounted; 3 units accessory for: 3VA53/54; 3VA63/64



Model	
product brand name	SETRON
product designation	bus connector extended
accessories	Bus connector extended

Connections according IEC	
thickness / of the busbar	2
• minimum	
• maximum	
thickness / of the busbar / maximum	12.5 mm
width / of the busbar / maximum	40 mm

Connections according UL	
width / of the busbar / maximum	1.6 in
thickness / of the busbar / minimum	0.08 in
thickness / of the busbar / maximum	0.5 in

Certificates	
General Product Approval	EMV



[Miscellaneous](#)



Marine / Shipping	other	Environment
-------------------	-------	-------------



[Miscellaneous](#)

[Confirmation](#)


[Miscellaneous](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9473-0QB00>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9473-0QB00>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9473-0QB00
CAx-Online-Generator
<http://www.siemens.com/cax>



last modified:

8/9/2024

