



bus connectors broadened front mounted; 3 units accessory for: 3VA53/54;
3VA63/64

Model	
product brand name	SETRON
product designation	bus connectors offset
accessories	Bus connector offset
Connections according IEC	
thickness / of the busbar	2
• minimum	
• maximum	
thickness / of the busbar / maximum	12.5 mm
width / of the busbar / maximum	60 mm
Connections according UL	
width / of the busbar / maximum	2.4 in
thickness / of the busbar / minimum	0.08 in
thickness / of the busbar / maximum	0.5 in
Certificates	
General Product Approval	EMV



EG-Konf.



UL


[Miscellaneous](#)



RCM

Marine / Shipping	other	Environment			
 LRS	Confirmation	Miscellaneous	Miscellaneous	Environmental Con- firmations	Environmental Con- firmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9473-0QC00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VA9473-0QC00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9473-0QC00
CAX-Online-Generator http://www.siemens.com/cax



last modified:

8/9/2024 

