



operator kit with Bowden cable Max-Flex operator Bowden cable, single length 2.4 m (96") accessory for: 3VA53/54; 3VA63/64 only for the UL market only for UL applications not approved for IEC

Model	
product brand name	SETRON
product designation	Bowden wire actuator
accessories	Bowden cable for Max-Flex
Mechanical Design	
depth	2 400 mm
Certificates	
General Product Approval	




[Miscellaneous](#)



EMV	Maritime application	other	Environment		
 RCM	 LRS	Confirmation	Miscellaneous	Environmental Confirmations	Environmental Confirmations

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9578-0CC60>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9578-0CC60>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9578-0CC60
CAx-Online-Generator
<http://www.siemens.com/cax>
Tender specifications
<http://www.siemens.com/specifications>



last modified:

5/26/2025 

