

circular conduc. terminal TA5.3 4 x 150...300 mm² for 4 cables; 3 units accessory for: plug-in unit 3VA9603-0KP00 3VA15/25/26



Model			
product brand name		SETRON	
product designation		circular conductor terminal 3 units	
accessories		Wire connector	
General technical data			
designation / of the terminal		TA5.3	
type of electrical connection / with control wire tap		No	
Connections according IEC			
connectable conductor cross-section			
• for copper cable / stranded / minimum		150 mm²	
• for copper cable / stranded / maximum		300 mm²	
• for aluminum cable / stranded / minimum		150 mm²	
• for aluminum cable / stranded / maximum		300 mm²	
stripped length		38/67 mm	
tightening torque / when using copper cables			
• stranded		150 - 300 mm²: 30 Nm	
• finely stranded		150 - 240 mm²: 30 Nm	
• finely stranded / with core end processing		150 - 240 mm²: 30 Nm	
Connetctions according UL			
stripped length		1.50/2.64 in	
Certificates			
General Product Approval		EMV	Test Certificates



[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

Maritime application other

Environment



[Confirmation](#)

[Miscellaneous](#)



[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9603-0JJ45>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9603-0JJ45>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9603-0JJ45

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

8/8/2025 

