

circular conduc. terminal TA7.1 6 x 1/0...750 kcmil for 6 cables; 3 units accessory for: circuit breaker, 3-pole 3VA57/58; 3VA67/68



Model	
product brand name	SETRON
product designation	circular conductor terminal 3 units
accessories	Wire connector
General technical data	
designation / of the terminal	TA 7.1
type of electrical connection / with control wire tap	No
Connections according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	90 °C
connectable conductor cross-section	
• for copper cable / stranded / minimum	1/0 AWG
• for copper cable / stranded / maximum	750 kcmil
• for aluminum cable / stranded / minimum	1/0 AWG
• for aluminum cable / stranded / maximum	750 kcmil

Certificates		
General Product Approval	EMV	Test Certificates



[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

Marine / Shipping	other	Environment
-------------------	-------	-------------



[Miscellaneous](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9773-0JJ64>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<https://support.industry.siemens.com/cs/ww/en/ps/3VA9773-0JJ64>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9773-0JJ64

CAX-Online-Generator

<http://www.siemens.com/cax>



last modified: 11/16/2024 

