

Pin busbar, 16 mm² connection: 12x 1-phase according to UL 489, 480Y/277V for LS 5SJ4...-HG




Figure similar

product brand name	SETRON	
product designation	Pin busbar	
design of the product	12x 1PH	
design of the phase tap	L1/L1	
General technical data		
compatibility	for 12 MCBs 1P	
design of pole	1 pole	
phase number	1	
operational current rated value	80 A	
suitability for interaction devices with auxiliary switch	No	
suitability for interaction devices with N conductor	No	
color	light grey	
Product details		
product feature attachable arc fault detection device	No	
product feature insulated	Yes	
product function ● suitable for compact devices ● can be cut	No	
	No	
number of devices suitable for fitting	12	
type of electrical connection	Pin	
Mechanical Design		
module width	18 mm	
width	15 mm	
length	205 mm	
number of modular width units	11	
cross-section	16 mm²	
angle of the pin of busbar	0°	
Net Weight	114 g	
Approvals Certificates		
General Product Approval		other



[Miscellaneous](#)



[Confirmation](#)

other	Environment
-------	-------------



[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3663-1HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3663-1HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3663-1HG


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





last modified:

8/8/2025 

