



SETRON 7KM measuring device PAC2200, L-L: 480 V, L-N: 277 V, 5 A, DIN-rail device, 3-phase, Modbus TCP, apparent / active / reactive energy, with internal power supply, apparent / active / reactive energy



Model	
product brand name	SETRON
product designation	Energy counter
product quality calibrated	No
type of measured value detection load profile	No
type of signal	S0
design of the energy counter	Solid-state
design of the pulse output	Electrical
General technical data	
type of the power supply network	three-wire/four-wire
operating voltage	
• between L and L minimum	3 V
• between L and L maximum	480 V
• between N and L minimum	3 V
• between N and L maximum	276 V
Protection class	
protection class IP	IP40
Main circuit	
operating frequency rated value	
• minimum	45 Hz
• maximum	65 Hz
operational current rated value	5 A
Suitability	
suitability for use	Import/export
Product function	
product function	apparent/active/reactive energy
product function	
• backstop	Yes
• blocking code	Yes
Display and operation	
design of the display	LCD
display version	digital
Communication	
protocol is supported	Modbus TCP
Measuring inputs	
measurable supply voltage	

- between (PE)N and L at AC maximum rated value 277 V
- between the line conductors at AC maximum rated value 480 V

Number

number of characters that can be displayed	12
--	----

Mechanical Design

number of modular width units	6
fastening method	DIN rail device

Net Weight	424 g
------------	-------

Approvals Certificates

Environment	General Product Approval
-------------	--------------------------

[Environmental Confirmation](#)

[Environmental Confirmation](#)



Siemens
EcoTech



General Product Approval

other

[Confirmation](#)



[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KM2200-2EA30-1EA1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KM2200-2EA30-1EA1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KM2200-2EA30-1EA1

CAX-Online-Generator




<https://www.siemens.com/cax>


Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>





last modified:

5/9/2026 

