

Adapter for For mounting onto standard mounting rail, Display facing DIN rail, for 7KM PAC3100 / 3200 / 4200 TMP



Model	
product brand name	SETRON
product designation	adapter for standard rail mounting
design of the product	Display faces towards standard mounting rail
General technical data	
cutout width	92 mm
cutout height	92 mm
mounting rail adapter design	Straight
suitability for use	7KM PAC1020 / 7KM PAC3100 / 7KM PAC3120 / 7KM PAC3200 / 7KM PAC3220 / 7KM PAC4200 / 7KM PAC 4220
Mechanical Design	
height	118 mm
width	143 mm
depth	23.5 mm
fastening method	screw and snap-on mounting onto 32 mm and 35 mm DIN rail
material	Metal / plastic
Approvals Certificates	
General Product Approval	other



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

Environment

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KM9900-0YA00-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KM9900-0YA00-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KM9900-0YA00-0AA0

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/13/2023 

