



Device adapter, 3-pole, 125 A, without fixing screws for NGG/HGG/LGG/3VA51
Busbar center-to-center spacing 60 mm, 200 mm x 90 mm Terminals have to be
ordered separately for GG breaker: 3TC1GG20, for 3VA51: 3VA9133-0JA11 or
3VA9133-0JB11

Model	
product brand name	SETRON
product designation	Device adapter
design of the product	Accessories
Mechanical Design	
height	200 mm
width of the adapter	90 mm
depth	26 mm
thickness of the busbar	
• minimum	5 mm
busbar center-to-center spacing	60 mm
Net Weight	1.015 kg

Approvals Certificates	
General Product Approval	Test Certificates



[Miscellaneous](#)

Maritime application	other	Environment
----------------------	-------	-------------



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1211-4SS00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1211-4SS00>


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1211-4SS00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications



last modified:

4/11/2025 

