



Device adapter S2, 80 A, short AWG4 25 mm² 150 mm 150° Length 200 mm, Width 54 mm

Model	
product brand name	SETRON
product designation	Device adapter
design of the product	Accessories
number of mounting rails	1
Connections	
type of electrical connection	25 mm ² , AWG 4
Mechanical Design	
height	200 mm
width of the adapter	55 mm
depth	63 mm
thickness of the busbar	
• minimum	5 mm
• maximum	10 mm
busbar center-to-center spacing	60 mm
Net Weight	498 g
Approvals Certificates	
General Product Approval	
Test Certificates	
 EG-Konf.   UL  UR  Type Test Certificates/Test Report	
Test Certificates	
Maritime application	
Miscellaneous Special Test Certificate  ABS  BUREAU VERITAS  DNV  LRS	
Maritime application	
other	
Railway	
 PRS  RINA  产品合格 QC PASS Confirmation Miscellaneous Special Test Certificate	
Environment	

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1261-5MS13>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1261-5MS13>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1261-5MS13

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

4/11/2025 

