



terminal set, 3-pole for flat bars to 32x 20 mm busbar center-to-center spacing 60 mm, UL 508A, cover 8US1922-1GC00 to be ordered separately

Model	
product brand name	SENTRON
product designation	Connecting terminal
design of the product	Accessories
suitability for use	Flat bars up to 32 x 20 mm
product feature halogen-free	Yes
Connections	
type of connectable conductor cross-sections of the laminated conductor rails	3x20 - 15x32 mm
Mechanical Design	
busbar center-to-center spacing	60 mm
Net Weight	1.317 kg
Approvals Certificates	
General Product Approval	Test Certificates



[Miscellaneous](#)

other

Environment



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1941-2AA04>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1941-2AA04>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1941-2AA04

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

4/4/2025 

