



busbar system 8US2, adapter 3-pole, 32 A, connection cable 6 mm², for switchgear with screw terminals, 45 x 160 mm

Model	
product brand name	SETRON
product designation	Adapter
design of the product	Accessories
number of mounting rails	1
Connections	
type of electrical connection	circular conductor
Mechanical Design	
height	160 mm
width of the adapter	45 mm
depth	35 mm
busbar center-to-center spacing	60 mm
Net Weight	175 g
Approvals Certificates	
General Product Approval	other



EG-Konf.



UL



[Confirmation](#)



Environment	
Environmental Conformations	Environmental Conformations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US2410-3FE01
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/8US2410-3FE01
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US2410-3FE01
CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

8/7/2025 

