

Eaton SPP42870

Catalog Number: SPP42870

Eaton Crouse-Hinds series Pauluhn Intrepid SPP linear fluorescent light fixture, 3/4" entry (2) hubs, 50/60 Hz, 4 ft lamp, Fluorescent, Matte polycarbonate lens, T12HO RDC, Fiberglass-reinforced polyester, 2-lamp, Through feed, 120-277 Vac, 48W

General specifications

| | |
|---|-----------------------|
| Product Name | Catalog Number |
| Eaton Crouse-Hinds series Pauluhn Intrepid SPP linear fluorescent light fixture | SPP42870 |
| | UPC |
| | 662276415768 |
| Product Length/Depth | Product Height |
| 52.8 in | 5 in |
| Product Width | Product Weight |
| 7.63 in | 17 lb |

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 2

Class III

NEMA Rating

4

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

Fluorescent

Material

Fiberglass-reinforced polyester

Lamp length

4 ft

Number of lamps

2-lamp

Light type

T12HO RDC

Voltage rating

120-277 Vac

Frequency rating

50/60 Hz

Style

Through feed

Entry size

3/4"

Entry type

(2) hubs

Wattage

48W

Lens material

Matte polycarbonate

Resources

3D models

[Eaton Crouse-Hinds SPP42870 3D drawing](#)

Brochures

[Crouse-Hinds series Pauluhn Intrepid Hazardous Area Linear Fluorescent brochure](#)

Catalogs

[Crouse-Hinds series Pauluhn Intrepid Hazardous Area Linear Fluorescent catalog page](#)

Installation instructions

IF LBL1370D2 - Pauluhn Intrepid Hazardous Area Linear Fluorescent

Specifications and datasheets

Eaton Specification Sheet - SPP42870



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)