

Product data sheet

Specifications

SQUARE D



Switch, reversing drum, 5 HP at 575 VAC single phase, 7.5 HP at 575 VAC polyphase, handle operated, NEMA 1 enclosure

2601BG1

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|-----------------------|--|
| Product | Reversing Drum Switch |
| Enclosure Rating | NEMA 1 |
| Horsepower | 1.5 hp 115 V AC, 1 phase 3 hp 230 V AC, 1 phase 5 hp 460 V AC, 1 phase 5 hp 575 V AC, 1 phase 5 hp 200 V AC, 3 phase 5 hp 230 V AC, 3 phase 7.5 hp 460 V AC, 3 phase 7.5 hp 575 V AC, 3 phase 2 hp 115 V DC 2 hp 230 V DC |
| Maximum Rated Voltage | 600 V AC 250 V DC |
| Number of Poles | 3P |

Complementary

| | |
|-----------------------|-----------------------|
| Certifications | UL Listed CSA |
| Electrical Connection | Screw-clamp terminals |
| Type | B |
| Width | 2.68 in (68.07 mm) |
| Height | 5.38 in (136.65 mm) |
| Depth | 4.61 in (117.09 mm) |
| Product weight | 1.34 lb(US) (0.61 kg) |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CP121116 |
| Discount Schedule | 0CP1 |
| GTIN | 785901555438 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|---------------------|-----------------------|
| Package 1 Height | 4.7 in (11.9 cm) |
| Package 1 Width | 5.6 in (14.2 cm) |
| Package 1 Length | 7.09 in (18.0 cm) |
| Package weight(Lbs) | 2.25 lb(US) (1.02 kg) |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Not compliant |
| REACH Regulation | REACH Declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |


Use Again

Repack and remanufacture

| | |
|------------|--|
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Dimensions Drawings


Approximate Dimensions



Connections and Schema

Connections and Wiring Diagrams

Internal Switching



Three-Phase Wiring Diagram

