

Product data sheet

Specifications

SQUARE D



Transformer, dry type, encapsulated, 3kVA, 1 phase, 480V primary, 120/240V secondary, 10A, 115C rise [TAA]

3S40F

Product availability: Stock - Normally stocked in distribution facility

Main

Product or Component Type Dry type transformer

Ordering and shipping details

Category US10PE216277

Discount Schedule 0PE2

GTIN 785901359432

Returnability Yes

Country of origin MX

Packing Units

Unit Type of Package 1 PCE

Nbr. of units in pkg. 1

Package 1 Height 12.43 in (31.572 cm)

Package 1 Width 8.62 in (21.895 cm)

Package 1 Length 6.50 in (16.51 cm)

Package weight(Lbs) 60.001 lb(US) (27.216 kg)

Compliance

Compliance TAA

Contractual warranty

Warranty 18 months

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Phenyl glycidyl ether, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

PVC free

Yes

Use Again

Repack and remanufacture

Circularity Profile


No need of specific recycling operations

Take-back


No

Technical Illustration

Dimensions



in.
[mm]




ALL DIMENSIONS ARE APPROXIMATE.
REFER TO TECHNICAL DRAWINGS AND DOCUMENTATION FOR COMPLETE INFORMATION.


Technical Illustration

Wiring diagram

PRIMARY VOLTS	TAP
480	H4
456	H3
432	H2



SERIES CONNECTION



PARALLEL CONNECTION

480 - 120/240 2-5% FCBN TAPS

CATALOG NO. 3S40F
REFER TO TECHNICAL DRAWINGS AND DOCUMENTATION FOR COMPLETE INFORMATION.