

Product data sheet

Specifications

SQUARE D



Transformer, dry type,
encapsulated, 6kVA, 3 phase,
480V primary, 208Y/120V
secondary, 12C, 115C rise [TAA]

6T2F

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|------------------------------|------------------------|
| Product or Component Type | Dry Sealed Transformer |
| Primary to Secondary Voltage | 480 V delta 208Y/120 V |
| Full Capacity Taps | 2 5 % FCBN |

Complementary

| | |
|--------------------|----------------------|
| Enclosure Code | 12C |
| Phase | 3 phase |
| Power Rating | 6 kVA |
| Temperature rise | 115 °C |
| Height | 13.5 in (342.9 mm) |
| Width | 14.75 in (374.65 mm) |
| Depth | 9 in (228.6 mm) |
| Enclosure mounting | Wall mounted |
| Enclosure Material | Painted sheet steel |

Environment

| | |
|------------------------|---------------------------|
| Enclosure Type | NEMA 3R |
| Insulation temperature | 356 °F (180 °C) |
| Product Certifications | cULus CSA UL Listed |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10PE216277 |
| Discount Schedule | 0PE2 |
| GTIN | 785901359470 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|----------------------------|-----------------------------|
| Package 1 Height | 13.50 in (34.29 cm) |
| Package 1 Width | 14.75 in (37.465 cm) |
| Package 1 Length | 9.00 in (22.86 cm) |
| Package weight(Lbs) | 165.0007 lb(US) (74.843 kg) |

Compliance

Compliance TAA

Contractual warranty

Warranty 18 months



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Phenyl glycidyl ether, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

PVC free

Yes

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No