

Product data sheet

Specifications

SQUARE D



NEMA combination starter, Type S, nonfusible disconnect, Size 0, 18A, 5HP at 600VAC, 3 phase, 3 pole, 120VAC coil, NEMA 1 [TAA]

8538SBG11V02S

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| | |
|----------------------|--------------------------|
| Product | Combination Starter |
| Type | S |
| Control Circuit Type | Separate control circuit |

Complementary

| | |
|-------------------------|--|
| Control Circuit Voltage | 110 V AC 50 Hz 120 V AC 60 Hz |
| Starter Type | Non reversing |
| Number of Poles | 3P |
| Horsepower Rating | 3 hp 200 V AC, 3 phase 3 hp 230 V AC, 3 phase 5 hp 460 V AC, 3 phase 5 hp 575 V AC, 3 phase |
| Maximum Voltage Rating | 600 V AC |
| Control Units | No control units |
| Pilot Light | No indicator |
| Auxiliary Contacts | Uden |
| Thermal overload type | Melting alloy 3 |
| Disconnect Type | Non-fusible disconnect switch |
| NEMA size | 0 |

Environment

| | |
|----------------|--|
| Enclosure Type | NEMA 1 painted sheet steel with external reset |
|----------------|--|

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CP121212 |
| Discount Schedule | 0CP1 |
| GTIN | 785901744542 |
| Returnability | No |
| Country of origin | MX |

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|------------------------------|---------------------------|
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 10.70 in (27.178 cm) |
| Package 1 Width | 13.10 in (33.274 cm) |
| Package 1 Length | 29.00 in (73.66 cm) |
| Package weight(Lbs) | 34.200 lb(US) (15.513 kg) |

Compliance

| | |
|-------------------|-----|
| Compliance | TAA |
|-------------------|-----|

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

|  Materials and Substances | |
|---|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Not compliant |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Use Again

|  Repack and remanufacture | |
|---|----|
| Take-back | No |