

Product data sheet

Specifications

SQUARE D



NEMA starter, Definite Purpose, 40A, 25HP at 600VAC, 3 phase, 3 pole, melting alloy overload, 24VAC coil, open

8911DPSO43V14

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|-------------------------|---|
| Product | Definite Purpose Starter |
| Ampere Rating | 40 A |
| Horsepower Rating | 3 hp 115 V AC, 1 phase 10 hp 230 V AC, 3 phase 7.5 hp 230 V AC, 1 phase 20 hp 460 V AC, 3 phase 25 hp 575 V AC, 3 phase |
| Maximum Voltage Rating | 600 V AC |
| Control Circuit Voltage | 24 V AC 50/60 Hz |
| Phase | 3 phase |

Complementary

| | |
|-------------------------|--|
| Enclosure Rating | Not rated (open device) |
| Locked Rotor Amperes | 240 A 230 V AC 200 A 460 V AC 160 A 575 V AC |
| Number of Poles | 3P |
| Range | DPS |
| Overload Type | Melting alloy |
| Number of Thermal Units | 3 |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CP121381 |
| Discount Schedule | 0CP1 |
| GTIN | 785901575009 |
| Returnability | Yes |
| Country of origin | US |

Packing Units

| | |
|------------------------|---------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 4.80 in (12.192 cm) |
| Package 1 Width | 4.80 in (12.192 cm) |
| Package 1 Length | 7.80 in (19.812 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs) 2.299 lb(US) (1.043 kg)

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

| | |
|--|---------------------------|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Compliant with Exemptions |

Use Again

Repack and remanufacture

| | |
|-----------|----|
| Take-back | No |
|-----------|----|