

Product data sheet

Specifications

SQUARE D



Transformer, EO, industrial control, 300VA, 1 phase, 240x480V primary, 120V secondary, 80C rise

9070EO4D1

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------|--------------------------------|
| Product or Component Type | Industrial Control Transformer |
| Range of Product | EO |

Complementary

| | |
|-----------------------|---|
| Phase | 1 phase |
| rated power in VA | 300 VA |
| Primary Voltage | 240 x 480 V 230 x 460 V 220 x 440 V |
| Secondary Voltage | 120 V 115 V 110 V |
| Temperature rise | 80 °C |
| Electrical Connection | Screw clamp terminals |
| Height | 5.6 in (141 mm) |
| Width | 4.5 in (114 mm) |
| Depth | 3.7 in (95 mm) |
| Net Weight | 17.2 lb(US) (7.8 kg) |

Environment

| | |
|---------------------------|-------------------------|
| Product Certifications | CE CSA UL Listed |
| NEMA Degree of Protection | Not rated (open device) |
| Insulation temperature | 266 °F (130 °C) |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US10CP816208 |
| Discount Schedule | 0CP8 |
| GTIN | 785901837831 |
| Returnability | Yes |
| Country of origin | US |

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|-------------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 6.40 in (16.256 cm) |
| Package 1 Width | 6.90 in (17.526 cm) |
| Package 1 Length | 7.80 in (19.812 cm) |
| Package weight(Lbs) | 10.820 lb(US) (4.908 kg) |
| Unit Type of Package 2 | PAL |
| Number of Units in Package 2 | 150 |
| Package 2 Height | 40.00 in (101.600 cm) |
| Package 2 Width | 40.00 in (101.600 cm) |
| Package 2 Length | 48.00 in (121.920 cm) |
| Package 2 Weight | 1623.0004 lb(US) (736.180 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant with Exemptions

REACH Regulation [REACH Declaration](#)

California proposition 65
 WARNING: This product can expose you to chemicals including: Phenyl glycidyl ether, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

PVC free Yes

Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No