

Product data sheet

Specifications

SQUARE D



Industrial control transformer, Type TF, 1 phase, 100VA, 208V primary, 120V secondary, 50/60Hz

9070TF100D3

Product availability: Stock - Normally stocked in distribution facility

Main

Product or Component Type Industrial Control Transformer

Type TF

Complementary

Number of Phases 1 phase

Power Rating 100 VA UL
100 VA CSA
100 VA NOM
100 VA CE

Primary to Secondary Voltage 208 V 120 V

Fuse type 0.41 x 1.50 in CC top

Temperature rise 55 °C

Electrical Connection Screw clamp terminals

Height 4.18 in (106.17 mm)

Width 3.38 in (85.85 mm)

Depth 3.34 in (84.84 mm)

Material Copper: winding

Fingersafe Cover Compatibility FSC1

Environment

Product Certifications CSA file LR37055 guide 184-N-90
UL listed file E61239

Enclosure Type Not rated (open device)

Insulation temperature 221 °F (105 °C)

Ordering and shipping details

Category US10CP816202

Discount Schedule 0CP8

GTIN 785901905769

Returnability Yes

Country of origin MX

Packing Units

Unit Type of Package 1 PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	6.60 in (16.764 cm)
Package 1 Width	6.80 in (17.272 cm)
Package 1 Length	7.60 in (19.304 cm)
Package weight(Lbs)	4.511 lb(US) (2.046 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	150
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	677.258 lb(US) (307.199 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant with Exemptions

REACH Regulation [REACH Declaration](#)

California proposition 65
 WARNING: This product can expose you to chemicals including: Phenyl glycidyl ether, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](#)

PVC free Yes


Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No

Dimensions Drawings

Approximate Dimensions

Technical Illustration

Dimensions

