

# Product data sheet

Specifications

SQUARE D



## Terminal block, Linergy, fuse holder, Class CC, 30A, 600V, 3 pole

9080FB3611CC

Product availability: Stock - Normally stocked in distribution facility

### Main

Range	9080FB
Product	Fuse holder

### Complementary

Current Rating	30 A
[Ue] rated operational voltage	<= 600 V AC/DC
Fuse type	CC
Fuse size	0.4063 x 1.5 in
Number of poles	3
Electrical Connection	Pressure wire clamp
Wire Gauge	AWG 14...AWG 10 copper or aluminium
SCCR	200 kA UL 512
Product Certifications	CE UL recognized E40747 CCN IZLT2 CSA file 70360 class 6225 01
Operating Temperature	-40...125 °C (-40...257 °F)
Mounting Type	Surface mount
Block Material	Thermoplastic: block
Wire stripping length	0.4375 in (11.125 mm)
Terminal Tightening Torque	screw terminals 25 lbf.in (2.8 N.m) AWG 14...AWG 10 copper
Height	3.13 in (79.50 mm)
Width	2.35 in (59.69 mm)
Depth	1.29 in (32.77 mm)

### Ordering and shipping details

Category	US10CP121701
Discount Schedule	0CP1
GTIN	785901097211
Returnability	Yes
Country of origin	US

### Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	1.30 in (3.302 cm)
<b>Package 1 Width</b>	2.40 in (6.096 cm)
<b>Package 1 Length</b>	3.10 in (7.874 cm)
<b>Package weight(Lbs)</b>	3.840 oz (108.862 g)
<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	20
<b>Package 2 Height</b>	3.30 in (8.382 cm)
<b>Package 2 Width</b>	7.80 in (19.812 cm)
<b>Package 2 Length</b>	13.00 in (33.020 cm)
<b>Package 2 Weight</b>	5.379 lb(US) (2.440 kg)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	<b>WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a></b>

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No