



# End Closure, I-Line Busway, max 2000A rated, end caps, copper [TAA]

ACF78EC

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Product	End Closure
Range	I-Line

# Complementary

Rated Operational Voltage	600 V AC/DC 50/60 Hz	
Length	8.34 in (211.84 mm)	
Height	7.06 in (179.32 mm)	
Width	1 in (25.4 mm)	
For Use with	Busbar trunking 2000 A copper end caps	

#### **Environment**

Standards	UL 857
	CSA C22.2 No 27:1994
	IEC 61439-6

# Ordering and shipping details

Category	US10PE820199
Discount Schedule	0PE8
GTIN	785901816164
Returnability	Yes
Country of origin	US

## **Packing Units**

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	8.35 in (21.2 cm)
Package 1 Width	0.98 in (2.5 cm)
Package 1 Length	7.05 in (17.9 cm)
Package weight(Lbs)	6.24 lb(US) (2.83 kg)

## Compliance

Compliance	TAA	
	1701	
	BAA via COTS	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# **Contractual warranty**

Warranty

18 months

Jul 22, 2025



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

#### **Use Better**

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No