Product data sheet

Specifications

SQUARE D

Circuit breaker accessory, PowerPacT P, lug kit, mechanical, 1200A, 3/0 AWG to 500kcmil, unit mount and I-Line, Al

AL1200P24TK

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	PowerPact P
Product or Component Type	Lug connector
Circuit breaker name	PowerPact M or P
Circuit breaker type	Standard

Complementary

Line Rated Current	1200 A
Material	Aluminium
Location of connection	Terminal
AWG gauge	AWG 3/0...500 kcmil aluminium
Kcmil size	500 kcmil
Tightening torque	8.9…11.5 lbf.in (1…1.3 N.m)

Environment

Product Certifications	UL

Ordering and shipping details

Category	US10DE201250
Discount Schedule	0DE2
GTIN	785901967651
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.51 in (14.0 cm)
Package 1 Width	6.50 in (16.5 cm)
Package 1 Length	8.27 in (21.0 cm)
Package weight(Lbs)	16.000 oz (453.592 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Contractual warranty

Warranty   18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained 〉

How we assess product sustainability 〉

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Pro-active compliance (Product out of EU RoHS legal scope)**
REACh Regulation	**REACh Declaration**
California proposition 65	**WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov**
PVC free	**Yes**

Use Again

Repack and remanufacture

Take-back	**No**