

# Product data sheet

Specifications

SQUARE D



## Accessory, bolt-on hub, 1.25in, rainproof

B125

Product availability: Stock - Normally stocked in distribution facility

### Main

Hub type	B
Product or Component Type	Hub

### Complementary

Cable entry	Conduit entry 1.25 in (31.75 mm)
Depth	3.09 in (78.49 mm)
Height	1.4 in (35.6 mm)
Width	4.44 in (112.78 mm)

### Environment

Product Certifications	UL Listed
------------------------	-----------

### Ordering and shipping details

Category	US1DE1A00032
Discount Schedule	DE1A
GTIN	785901459446
Returnability	Yes
Country of origin	IN

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.50 in (3.810 cm)
Package 1 Width	3.20 in (8.128 cm)
Package 1 Length	4.50 in (11.430 cm)
Package weight(Lbs)	5.600 oz (158.757 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	8.40 in (21.336 cm)
Package 2 Width	4.90 in (12.446 cm)
Package 2 Length	13.50 in (34.290 cm)
Package 2 Weight	3.999 lb(US) (1.814 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Unit Type of Package 3</b>	PAL
<b>Number of Units in Package 3</b>	960
<b>Package 3 Height</b>	38.50 in (97.790 cm)
<b>Package 3 Width</b>	40.00 in (101.600 cm)
<b>Package 3 Length</b>	42.00 in (106.680 cm)
<b>Package 3 Weight</b>	430.0010 lb(US) (195.045 kg)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
REACH Regulation	<a href="#">REACH Declaration</a>

### Use Again

 <b>Repack and remanufacture</b>	
Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

---

MFG Model Number  
**B125**




1-1/4 in. bolt-on hub, type B size

For use in Square D outdoor electrical panels, CSEDs, and safety switches

UL listed, CSA listed, and ANSI certified

MFG Model Number  
**B125**



3.09 in

1.4 in

4.44 in

↑

Dimensions

**Compatible products**

1-1/4 in. Bolt-On Hub for Devices with B Openings  
MPG Model Number: B125



→

Compatible for direct mounting on outdoor or N3R Homeline and QO load centers and safety switches with a "B" in the catalog #

