

Product data sheet

Specifications

SQUARE D



Meter accessory, EZ Meter-Pak, lug kit, 400A, mechanical

C MELK4

Product availability: Stock - Normally stocked in distribution facility

Complementary

Wire Gauge	AWG 2...600 kcmil aluminium/copper)line
Number of mounting holes	2
Product Certifications	UL Listed
Device Application	CSED 400 A
Height	3.06 in (77.72 mm)
Width	6.63 in (168.40 mm)
Depth	1.94 in (49.28 mm)

Ordering and shipping details

Category	US10DE400020
Discount Schedule	0DE4
GTIN	785901074236
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.70 in (6.858 cm)
Package 1 Width	3.40 in (8.636 cm)
Package 1 Length	6.90 in (17.526 cm)
Package weight(Lbs)	32.2 oz (912.0 g)
Unit Type of Package 2	PAL
Number of Units in Package 2	500
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	1000.000 lb(US) (453.592 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant with Exemptions

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

Image of product / Alternate images

Alternative

MFG Model Number
C MELK4




For use with 400 Amp CSEDs, 4 feed lugs included in pack

Accepts #2 - 600 kcmil AWG aluminum or copper wire

UL listed and ANSI Certified

The image shows four white C MELK4 terminal blocks arranged in a row. Below them are three green icons: a box with a plus sign, a wavy line representing wire, and a checkmark. Each icon is connected to a terminal block by a thin green line.

MFG Model Number
C MELK4



HEIGHT: 1.94 in

WIDTH: 3.06 in

DEPTH: 6.63 in

*Product packaging dimensions

A 3D perspective view of the terminal blocks on a green base. The base is labeled with 'HEIGHT', 'WIDTH', and 'DEPTH' in white text. Dimension lines indicate the measurements: 1.94 in for height, 3.06 in for width, and 6.63 in for depth. The terminal blocks are arranged in a row on the base.

Compatible products

High Amperage Feed Lugs (4-Pack)
MPG Model Number: CMELK4



Compatible for 400A EZ Meter-Pak.
Not for use on 400A devices with 'K' suffix

