

Product data sheet

Specifications

SQUARE D



Connection accessory,
PowerPacT M/ P, mechanical lug
kit, 800A, 3/0 AWGâ€“500 kcmil
Cu

CU800M23K

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	PowerPact M PowerPact P
Product or Component Type	Mechanical lug
Accessory / separate part category	Connection accessory
Circuit breaker name	PowerPact M or P
Quantity per Set	Set of 3
Circuit breaker type	Standard

Complementary

Line Rated Current	800 A
Material	Copper
Mounting Mode	Unit mount I-Line
Location of connection	Downstream Upstream
AWG gauge	AWG 3/0...500 kcmil copper
Kcmil size	500 kcmil
Tightening torque	442.5 lbf.in (50 N.m) 0.1...0.4 in ² (95...240 mm ²) (AWG 3/0...500 kcmil)

Environment

Product Certifications	UL CSA
------------------------	-----------

Ordering and shipping details

Category	US10DE201250
Discount Schedule	ODE2
GTIN	785901837749
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Height	2.99 in (7.6 cm)
Package 1 Width	5.20 in (13.2 cm)
Package 1 Length	12.52 in (31.8 cm)
Package weight(Lbs)	5.00009 lb(US) (2.268 kg)

Contractual warranty

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PVC free	Yes

Use Again

Repack and remanufacture

Take-back	No
-----------	----