



Branch unit, EZ Meter-Pak, 125A, 3 x 5 jaw sockets, 120/240VAC, lever bypass, ringless, 800A Al busbar

EZML113125

Product availability: Stock - Normally stocked in distribution facility

Main

Product	Meter Center Branch Unit	
Current Rating	125 A	
Туре	Meter-Pak	
Bus Rating	800 A	
Number of Jaws	5 with jaw release	
Number of Meter Sockets	3	
Bypass Type	Lever bypass	
Socket Type	Ringless	

Complementary

Busbar Material	Aluminium: busbar	
Short-circuit current	10 kA	
Enclosure Rating	NEMA 3R	
Maximum Voltage Rating	120/240 V AC	
Mounting	Surface	
Phase	1 phase in 1 phase out	
Wire Configuration	3-wire	
Height	45 in (1143 mm)	
Width	15.38 in (390.65 mm)	
Depth	8.95 in (227.33 mm)	

Ordering and shipping details

Category	US10DE400020
Discount Schedule	0DE4
GTIN	785901068136
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1 PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Nbr. of units in pkg.	1	
Package 1 Height	8.94 in (22.7 cm)	
Package 1 Width	15.35 in (39 cm)	
Package 1 Length	45.04 in (114.4 cm)	
Package weight(Lbs)	114.6 lb(US) (52 kg)	



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg CO2 eq, Total Life cycle)	735	
Environmental Disclosure	Product Environmental Profile	

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No