

# Product data sheet

Specifications

## TeSys GS, shaft extension, 10 x 10 x 320 mm, for 100 to 400 A GS2 switches



GS2AE2

Product availability: Stock - Normally stocked in distribution facility

### Main

Range	TeSys
Device short name	GS2AE
Product or Component Type	Shaft extension
Accessory / separate part category	Control accessory
Range compatibility	TeSys TeSys GS GS2F TeSys TeSys GS GS2G TeSys TeSys GS GS2J TeSys TeSys GS GS2K TeSys TeSys GS GS2L TeSys TeSys GS GS2M TeSys TeSys GS GS2N TeSys TeSys GS GS2P TeSys TeSys GS GS2Q FuPact FuPacT GS GSC50 FuPact FuPacT GS GSB63 FuPact FuPacT GS GSD63 FuPact FuPacT GS GSB100 FuPact FuPacT GS GSC125 FuPact FuPacT GS GSD125 FuPact FuPacT GS GSD160 FuPact FuPacT GS GSB200 FuPact FuPacT GS GSB250 FuPact FuPacT GS GSD250 FuPact FuPacT GS GSB400 FuPact FuPacT GS GSD400
switch rated current	50 A 60 A 63 A 100 A 125 A 160 A 200 A 250 A 315 A 400 A

### Complementary

Length	12.6 in (320 mm)
Shaft cross section	10 x 10 mm
Net Weight	0.62 lb(US) (0.28 kg)

### Ordering and shipping details

Category	US10I1122640
Discount Schedule	0I11
GTIN	3389119412032
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Country of origin	TN
-------------------	----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Nbr. of units in pkg.	1
-----------------------	---

---

Package 1 Height	0.63 in (1.600 cm)
------------------	--------------------

---

Package 1 Width	0.63 in (1.600 cm)
-----------------	--------------------

---

Package 1 Length	12.60 in (32.000 cm)
------------------	----------------------

---

Package weight(Lbs)	8.959 oz (254.000 g)
---------------------	----------------------

---

Unit Type of Package 2	S02
------------------------	-----

---

Number of Units in Package 2	20
------------------------------	----

---

Package 2 Height	5.91 in (15.000 cm)
------------------	---------------------

---

Package 2 Width	11.81 in (30.000 cm)
-----------------	----------------------

---

Package 2 Length	15.75 in (40.000 cm)
------------------	----------------------

---

Package 2 Weight	11.890 lb(US) (5.393 kg)
------------------	--------------------------

---

Unit Type of Package 3	P06
------------------------	-----

---

Number of Units in Package 3	320
------------------------------	-----

---

Package 3 Height	30.31 in (77.000 cm)
------------------	----------------------

---

Package 3 Width	31.50 in (80.000 cm)
-----------------	----------------------

---

Package 3 Length	23.62 in (60.000 cm)
------------------	----------------------

---

Package 3 Weight	208.972 lb(US) (94.788 kg)
------------------	----------------------------

## Contractual warranty

---

Warranty	18 months
----------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	<b>WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a></b>

### Use Again

 Repack and remanufacture	
Take-back	No
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.