

# Product data sheet

Specifications



## Extended rotary handle kit, TeSys Deca, IP54, red handle, with trip indication, for GV2L-GV2P

GV2APN02

**Product availability: Stock - Normally stocked in distribution facility**

### Main

Range	TeSys
Device short name	GV2AP
Product or Component Type	Rotary handle kit
Accessory / separate part category	Control accessory
Handle colour	Red
Handle front plate colour	Yellow

### Complementary

Product Compatibility	GV2L GV2P
Rotary handle padlocking	Padlock in OFF position
Rotary handle mounting style	Extended
Locking options description	1 to 3 padlocks
Position Indicator	Trip position
Back/door distance	5.5...9.8 in (140...250 mm)
Net Weight	0.7 lb(US) (0.3 kg)

### Environment

Product certifications	CULus
IP degree of protection	IP54

### Ordering and shipping details

Category	US10I1122367
Discount Schedule	0I11
GTIN	3606480160943
Returnability	Yes
Country of origin	CZ

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.60 in (6.600 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Package 1 Width</b>	3.50 in (8.900 cm)
<b>Package 1 Length</b>	14.61 in (37.100 cm)
<b>Package weight(Lbs)</b>	12.310 oz (349.000 g)
<b>Unit Type of Package 2</b>	S03
<b>Number of Units in Package 2</b>	12
<b>Package 2 Height</b>	11.81 in (30.000 cm)
<b>Package 2 Width</b>	11.81 in (30.000 cm)
<b>Package 2 Length</b>	15.75 in (40.000 cm)
<b>Package 2 Weight</b>	10.441 lb(US) (4.736 kg)
<b>Unit Type of Package 3</b>	P06
<b>Number of Units in Package 3</b>	96
<b>Package 3 Height</b>	30.31 in (77.000 cm)
<b>Package 3 Width</b>	31.50 in (80.000 cm)
<b>Package 3 Length</b>	23.62 in (60.000 cm)
<b>Package 3 Weight</b>	101.986 lb(US) (46.260 kg)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant with Exemptions

SCIP Number

66ab381c-81b1-42a8-ae7a-ce3f5adb691a

REACH Regulation

[REACH Declaration](#)

California proposition 65

**WARNING:** This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Use Again

### Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No


WEEE

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.


Dimensions Drawings

Mounting of External Operator GV2APN01, GV2APN02 or GV2APN04 for Motor Circuit Breakers GV2L

---



Door cut-out



(1) For IP65 only.

Image of product / Alternate images

Alternative

---





Technical Illustration

Assembly's dimensions

---

